



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORBIDITY AND MORTALITY—Continued.

Weekly morbidity and mortality table, cities of the United States—Continued.

Cities.	Week ended—	Esti- mated popula- tion 1909.	Total deaths from all causes.	Tuber- culosis.		Ty- phoid fever.		Scarlet fever.		Diph- theria.		Measles.		Whoop- ing cough.	
				Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Schenectady, N. Y.	Mar. 19	73,037	24	1	3			7	1	3	1	36			
Somerville, Mass.	do.	75,375	24	2	1			7		2		3			
South Bend, Ind.	do.	49,321	8	1				5							
South Bethlehem, Pa.	do.	15,886	5	1		1		1		2	1	15			
South Omaha, Nebr.	do.	42,146	1			1	1	1							
Spokane, Wash.	Mar. 12	<sup>a</sup> 47,066	22		2			3		2		18	1		1
Springfield, Mass.	Mar. 19	82,724	41	4	2		1	8	3	8		13	1	1	1
Springfield, Ohio.	do.	43,975	10	2	2					2		78			
Steelton, Pa.	do.	14,769	6	2				6		5	2	4		1	
Superior, Wis.	do.	40,919	12				1	6	1	1					
Tacoma, Wash.	Mar. 12	<sup>a</sup> 37,714	19		1	1		7							
Taunton, Mass.	Mar. 19	30,926	11					1				2			
Terre Haute, Ind.	do.	55,509	24	2	1			1				53			
Titusville, Pa.	do.	8,397	2												
Toledo, Ohio.	Feb. 19		47		2	7	1	6				70	2		
Do.	Feb. 26		38		2	4	1	1		6	3	166	3		1
Do.	Mar. 5		37		5	6	1	10	1	3	2	132			
Do.	Mar. 12		49		4	5	2	5		3	1	132			
Topeka, Kans.	Mar. 19		0												
Trenton, N. J.	Feb. 19	92,878	6	5	4	1		9		3	2				
Utica, N. Y.	do.	69,458	21	2	1			3				34		1	
Waltham, Mass.	do.	28,522	10	2		1				1		1			
Washington, D. C.	Mar. 23	322,212	160	21	28	3	1	38	1	4		10		20	
West Newton, Mass.	Mar. 19	39,419	12	1				3				3			
Wichita, Kans.	do.	39,612	17							1		40			
Wilkes-Barre, Pa.	do.	64,323	19	3	1			7		3	1	1		6	
Wilksburg, Pa.	do.	19,999	8	1	1			1				1			
Williamsport, Pa.	do.	30,220	10		3	1		10		2		16			
Wilmington, Del.	do.	88,980	34		4										
Woburn, Mass.	do.	14,520	5			1						2			
Yonkers, N. Y.	do.	72,200	25	3	1			10	1	7	2	3			
York, Pa.	do.	41,895	6		2			1		3		1			
Zanesville, Ohio.	do.	25,614	6			31				1					

<sup>a</sup> Estimated population 1906. No estimate 1909.

## STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).

CALIFORNIA—*Sacramento*.—Month of February, 1910. Population, 55,000. Total number of deaths from all causes 53, including measles 1, tuberculosis 12. Cases reported: Typhoid fever 3, smallpox 4, measles 50, scarlet fever 2, diphtheria 3, tuberculosis 3.

FLORIDA.—Week ended March 19, 1910. Reports from the state board of health show typhoid fever present in 2 localities with 2 cases; smallpox in 1 county (Duval) with 1 case; diphtheria in 3 localities with 3 cases; tuberculosis in 5 localities with 5 cases.

*Tampa*.—Month of February, 1910. Population, 28,410. Total number of deaths from all causes 42, including typhoid fever 1, measles 2, tuberculosis 4. Cases reported: Typhoid fever 1, measles 27, diphtheria 6.

ILLINOIS—*Quincy*.—Month of February, 1910. Population, 43,000. Total number of deaths from all causes, 50, including diphtheria 1, tuberculosis 3. Cases reported: Typhoid fever 4, measles 1, scarlet fever 6, diphtheria 12.

INDIANA.—Month of January, 1910. Reports from the state board of health show a total of 2,883 deaths, urban population 1,074,289, deaths 1,426, rural population 1,690,240, deaths 1,457, including typhoid fever 47, scarlet fever 16, tuberculosis 392. Cases reported: Typhoid fever 131 in 40 counties, smallpox 189 in 25 counties, scarlet fever 616 in 63 counties.

IOWA—*Cedar Rapids*.—Month of February, 1910. Population, 35,000. Total number of deaths from all causes 28, including typhoid fever 2, tuberculosis 1. Cases reported: Scarlet fever 2.

MARYLAND.—Month of December, 1909. Population 1,319,132. Total number of deaths from all causes 776, including typhoid fever 17, measles 6, scarlet fever 4, diphtheria 9, tuberculosis 88. Cases reported: Typhoid fever 83, smallpox 4, measles 98, scarlet fever 62, diphtheria 61. The typhoid fever cases were distributed as follows: Potomac River watershed 35, Patapsco River watershed 5, Patuxent River watershed 10.

MASSACHUSETTS.—Week ended January, 1910. Population of reporting towns 2,401,701. Total number of deaths from all causes 911, including typhoid fever 10, measles 1, scarlet fever 5, diphtheria 13, tuberculosis 84. Week ended January 8, 1910. Total number of deaths from all causes 853, including typhoid fever 3, measles 4, scarlet fever 3, tuberculosis 68. Week ended January 15, 1910. Total number of deaths from all causes 771, including typhoid fever 4, measles 4, scarlet fever 2, diphtheria 12, tuberculosis 58. Week ended January 22, 1910. Total number of deaths from all causes 893, including typhoid fever 3, measles 5, scarlet fever 3, diphtheria 19, tuberculosis 81. Week ended January 29, 1910. Total number of deaths from all causes 807, including measles 5, scarlet fever 1 diphtheria 14, tuberculosis 94.

MINNESOTA—*St. Paul*.—Month of December, 1909. Population 230,000. Total number of deaths from all causes 211, including typhoid fever 6, measles 1, diphtheria 13, tuberculosis 21. Cases reported: Smallpox 1, measles 13, scarlet fever 87, diphtheria 119.

MISSOURI—*Springfield*.—Month of February, 1910. Population 35,000. Total number of deaths from all causes 54, including diphtheria 1, tuberculosis 6. Cases reported: Scarlet fever 8, diphtheria 2.

NEW YORK.—Month of February, 1910. Population 8,871,720. Total number of deaths from all causes 12,863, including typhoid fever 87, measles 166, scarlet fever 225, diphtheria 259, tuberculosis 1,371. Cases reported: Typhoid fever 456, smallpox 38, measles 9,726, scarlet fever 3,655, diphtheria 2,018, tuberculosis 2,416.

*Auburn*.—Month of February, 1910. Population 38,500. Total number of deaths from all causes 49, including tuberculosis 5. Cases reported: Typhoid fever 1, scarlet fever 16, diphtheria 2, tuberculosis (pulmonary) 8.